

2025-04-23 10:00:00

fig. 1A

fig. 1B





Figure 1. Transient acneiform eruption caused by a single PDT treatment. (A) Baseline; (B) one week post-treatment.

CONFIDENTIAL



Follow-up visit (week)

----- = Single treatment group, ____ = Multiple treatment group

fig. 2A

204770-132650





Fig. 2B

20110303 13:22:00




Follow-up visit (week)

----- = Single treatment group, _____ = Multiple treatment group

fig. 2c

CONFIDENTIAL



Follow-up visit (week)

----- = Single treatment group, _____ = Multiple treatment group

Fig. 2D

fig. 3A




fig. 3B





fig. 3C



204704-0440

Fig 3D




Fig: 3E





Fig. 3f







fig. 4

Figure 4. Fluorescence of porphyrin from bacteria in follicles (red dots) decrease after a single PDT. Photographs were taken as described at baseline (A), week 3 (B), and week 20 (C) post-PDT.

204470-4453660

fig. 5






fig. 6

Fig. 7A





Fig. 7B



204710 40000000

Fig-8A





Fig-8B



204470 4222660

fig. 9




Fig. 10A




Fig. 10B





Fig. 10C



204470 40062660




Fig. 11




fig. 12

204713 413 62660